

**Fig. 1 (PRIOR ART)**




FIGURE 2

(PRIOR ART)

0923570-080601




FIGURE 3

(PRIOR ART)




FIGURE 4  
(PRIOR ART)




FIGURE 5  
(PRIOR ART)






FIGURE 6 (PRIOR ART)




FIGURE 7




FIGURE 8






FIGURE 9

$$\left( \frac{X \text{ rev}}{\text{min}} \right) \left( \frac{\text{min}}{60 \text{ sec}} \right) \left( \frac{Y \text{ sec}}{\text{int}} \right) = \left( \frac{\text{Rev}}{Z \text{ int}} \right) \quad [Equation 1]$$

Example 1: For  $Z = \frac{160 \text{ int}}{\text{Rev}}$

$$Y = \frac{68 \text{ u sec}}{\text{int}}$$

$$\Rightarrow X = \frac{60 \text{ sec}}{\text{min}} \frac{\text{int}}{68 \text{ u sec}} \frac{\text{Rev}}{160 \text{ int}} = 5514.705 \text{ RPM}$$

Example 2: For  $X = 5700 \text{ RPM}$

$$Z = \frac{160 \text{ int}}{\text{Rev}}$$

$$\Rightarrow Y = \frac{60 \text{ sec}}{\text{min}} \frac{\text{min}}{5700 \text{ Rev}} \frac{\text{Rev}}{160 \text{ int}} = \frac{65.789 \text{ u sec}}{\text{int}}$$

FIGURE 10

09080 0752660




FIGURE 11




FIGURE 12




FIGURE 13

09923570-080601




FIGURE 14